



12-08-03

Rev. 04/01

PATENTS
Docket No. GFI-108

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Piotr Bobrowicz
Application No.: 10/680,963
Filed : October 7, 2003
For : N-ACETYLGLUCOSAMINTRANSFERASE III
EXPRESSION IN LOWER EUKARYOTES

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL LETTER FOR
INFORMATION DISCLOSURE STATEMENT

Sir:

Transmitted herewith is an Information Disclosure Statement in the above-identified application. This Statement is submitted:

- ☒ [X] within three months of the application filing date;
- ☐ [] more than three months from the application filing date but before the mailing date of the first Office Action on the merits.

In accordance with 37 C.F.R. § 1.97, submission of this Statement requires no fee. However, if for any reason a fee is due, the Director is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit Account

No. 06-1075. A duplicate copy of this letter is transmitted herewith.

Respectfully submitted,



David A. Roise
Registration No. 47,904
Attorney for Applicant

FISH & NEAVE
Customer No. 1473
1251 Avenue of the Americas
New York, New York 10020-1104
Tel.: (650) 617-4000


I hereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to : HON.
COMMISSIONER FOR PATENTS,
P.O. BOX 1450, Alexandria,
VA 22313-1450 on:

12.3.03

Date of Deposit

Lorraine Coke

Name of Person Signing



Signature of Person Signing

12.3.03

Date of Signature



PATENTS

Docket No. GFI-108

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Piotr Bobrowicz
Application No.: 10/680,963
Filed : October 7, 2003
For : N-ACETYLGLUCOSAMINTRANSFERASE III
EXPRESSION IN LOWER EUKARYOTES

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §§ 1.56, 1.97 and 1.98,
applicant hereby makes the following documents of record in
the above identified application:*

U.S. Patents and Patent Application Publications

2003/0175884	09/2003	Umana et al.
6,602,684	08/2003	Umana et al.
6,017,743	01/2000	Tsuji et al.
5,962,294	10/1999	Paulson et al.
5,955,422	09/1999	Lin
5,955,347	09/1999	Lowe
5,910,570	06/1999	Elhammer et al.
5,849,904	12/1998	Gerardy-Schahn et al.
5,834,251	11/1998	Maras et al.

* Applicant reserves the right to challenge the status
of any of the cited documents as prior art.

5,766,910	06/1998	Fukuda et al.
5,707,828	01/1998	Sreekrishna et al.
5,595,900	01/1997	Lowe
5,135,854	08/1992	Mackay et al.
5,047,335	09/1991	Paulson et al.
4,935,349	06/1990	McKnight et al.
4,925,796	05/1990	Bergh et al.
4,775,622	10/1988	Hitzemann et al.

Foreign Patents

WO 03/011878	02/2003	WIPO
WO 02/00879	01/2002	WIPO
WO 02/00856 A2	01/2002	WIPO
WO 01/14522	03/2001	WIPO
WO 99/54342	10/1999	WIPO
8-336387	08/1996	Japan

Other Documents

Abeijon et al., "Molecular Cloning of the Golgi apparatus uridine diphosphate-N-acetylglucosamine transporter from *Kluyveromyces lactis*" *Proc. Natl. Acad. Sci. USA* 93:5963-5968 (1996)

Abdel-Salam et al., "Expression of mouse anticeatine kinase (MAK33) monoclonal antibody in the yeast *Hansenula polymorpha*", *Appl. Microbiol. Biotechnol.*, 56:157-164 (2001)

Alani et al., "A Method for Gene Disruption That Allows Repeated Use of URA3 Selection in the Construction of Multiply Disrupted Yeast Strains" *Genetics* 116:541-545 (1987)

Altschul et al., "Basic Local Alignment Search Tool", *J. Mol. Biol.* 215:403-410 (1990)

Altschul et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", *Nucleic Acids Res.* 25:3389-3402 (1997)

Anderson et al., "The effect of sell-culture conditions on the oligosaccharide structures of secreted glycoproteins", *Curr Opin Biotechnol.* 5(5):546-49 (1994)

- Aoki et al., "Expression and activity of chimeric molecules between human UDP-galactose transporter and CMP-sialic acid transporter", *J. Biochem. (Tokyo)*, 126(5):940-50 (1999)
- Beaudet et al., "High-level expression of mouse Mdr3 P-glycoprotein in yeast *Pichia pastoris* and characterization of ATPase activity", *Methods Enzymol.*, 292:397-413 (1998)
- Berka et al., "The Filamentous Fungus *Aspergillus niger* var. *Awamori* as Host for the Expression and Secretion of Fungal and Non-Fungal Heterologous Proteins", *Abstr. Papers Amer. Chem. Soc.* 203:121-BIOT (1992)
- Berninsone et al., "Regulation of Yeast Golgi Glycosylation", *J. Biol. Chem.* 270(24):14564-14567 (1995)
- Berninsone et al., "Functional Expression of the Murine Golgi CMP-Sialic Acid Transporter in *Saccharomyces cerevisiae*", *J. Biol. Chem.* 272(19):12616-9 (1997)
- Berninsone et al., "The Golgi guanosine diphosphatase is required for transport of GDP-mannose into the lumen of *Saccharomyces cerevisiae* Golgi vesicles", *J. Biol. Chem.*, 269(1):207211 (1994)
- Bianchi et al., "Transformation of the yeast *Kluyveromyces lactis* by new vectors derived from the 1.6 μ m circular plasmid pKD1", *Current Genetics*, 12:185-192 (1987)
- Boehm et al., "Disruption of the KEX1 Gene in *Pichia pastoris* Allows Expression of Full-Length Murine and Human Endostatin", *Yeast*, 15:563-572 (1999)
- Boeke et al., "A positive selection for mutants lacking orotidine-5'-phosphate decarboxylase activity in yeast: 5-fluoro-orotic acid resistance", *Mol. Gen. Genet.* 197:345-346 (1984)
- Bonneaud et al., "A family of low and high copy replicative, integrative and single-stranded *S. cerevisiae*/E. coli shuttle vectors", *Yeast*, 7:609-615 (1991)
- Borreback et al., "Human monoclonal antibodies produced by primary *in vitro* immunization of peripheral blood lymphocytes", *Proc. Natl. Acad. Sci. USA*, 85:3995-3999 (1988)
- Bretthauer et al., "Glycosylation of *Pichia pastoris*-derived proteins", *Biotechnology and Applied Biochemistry* 30:193-200 (1999)
- Buckel et al., "Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine-kinase-specific monoclonal antibody", *Gene*, 51:13-19 (1987)
- Cadwell and Joyce, "Randomization of Genes by PCR Mutagenesis", *PCR Methods Applic.* 2:28-33 (1992)

- Callewaert et al., "Use of HDEL-tagged *Trichoderma reesei* mannosyl oligosaccharide 1,2- α -D-mannosidase for N-glycan engineering in *Pichia pastoris*", *FEBS Lett.* 503(2-3):173-8 (2001)
- Cereghino et al., "Heterologous protein expression in the methylotrophic yeast *Pichia pastoris*", *FEMS Microbiology Reviews*, 24(1):45-66 (2000)
- Cereghino et al., "New selectable marker/auxotrophic host strain combinations for molecular genetic manipulation of *Pichia pastoris*", *Gene*, 263:159-169 (2001)
- Chiba et al., "Production of Human Compatible High Mannose-type Sugar Chains in *Saccharomyces cerevisiae*", *J. Biol. Chem.*, 273(41):26298-26304 (1998)
- Choi et al., "Use of combinatroyal genetic libraries to humanize N-linked glycosylation in the yeast *Pichia pastoris*", *Proc. Natl. Acad. Sci. USA* 100:5022-5027 (2003)
- Davidson et al., "A PCR-based strategy to generate integrative targeting alleles with large regions of homology", *Microbiol.*, 148(Pt8):2607-15 (2002)
- Davies et al., "Expression of GnTIII in a Recombinant Anti-CD20 CHO Production Cell Line: Expression of Antibodies with Altered Glycoforms Leads to an Increase in ADCC Through Higher Affinity for Fc γ RIII", *Biotechnol. Bioeng.*, 74(4):288-294 (2001)
- Dennis et al., "Protein glycosylation in development and disease", *Bioessays*, 21(5):412-21 (1999)
- Eades et al., "Characterization of the Class I α -mannosidase gene family in the filamentous fungus *Aspergillus nidulans*", *Gene*, 255(1):25-34 (2000)
- Eckhardt et al., "Molecular cloning of the hamster CMP-sialic acid transporter", *Eur. J. Biochem.*, 248(1):187-192 (1997)
- Gavel, et al., "Sequence differences between glycosylated and non-glycosylated Asn-X-Thr/Ser acceptor sites: implications for protein engineering", *Protein Eng.*, 3:433-42 (1990)
- Gleeson, Paul A. "Targeting of proteins to the Golgi apparatus", *Histochem. Cell Biol.*, 109:517-532 (1998)
- Goochee et al., "The Oligosaccharides of Glycoproteins: Bioprocess Factors Affecting Oligosaccharide Structure and Their Effect on Glycoprotein Properties", *Biotechnology*, 9(12):1347-55 (1999)

Graham et al., "Compartmental Organization of Golgi-specific Protein Modification and Vacuolar Protein Sorting Events Defined in Yeast *sec18* (NSF) Mutant", *J. Cell. Biol.*, 114(2):207-218 (1991)

Grasziano et al., "Construction and Characterization of a Humanized Anti- γ -lg Receptor Type I (Fc γ RI) Monoclonal Antibody", *J. Immunol.*, 155(10):4996-5002 (1995)

Guillen et al., "Mammalian Golgi apparatus UDP-N-acetylglucosamine transporter: Molecular cloning by phenotypic correction of a yeast mutant", *Proc. Natl. Acad. Sci. USA*, 95(14):7888-7892 (1998)

Hamilton et al., "Production of Complex Human Glycoproteins in Yeast", *Science*, 301:1244-46 (2003)

Harkki et al., "A Novel Fungal Expression System: Secretion of Active Calf Chymosin From the Filamentous Fungus *Trichoderma reesei*", *Biotechnical Laboratory*, 7(6):596 (1989)

Hayes et al., "Carbohydrate Compositions of the Rabbit Plasminogen Isozymes", *J. Arch. Biochem. Biophys.*, 171:651-655 (1975)

Hernandez et al., "Structure of the Phosphorylated N-Linked Oligosaccharides from the *mn9* and *mn10* Mutants of *Saccharomyces cerevisiae*", *The Journal of Biological Chemistry*, 264(23):13648-13659 (1989)

Huffaker et al., "Yeast mutants deficient in protein glycosylation", *Proc. Natl. Acad. Sci. USA*, 80(24):7466-70 (1983)

Ishida et al., "Molecular Cloning and Characterization of a Novel Isoform of the Human UDP-Galactose Transporter, and of Related Complementary DNAs Belonging to the Nucleotide-Sugar Transporter Gene Family", *J. Biochem.*, (Tokyo) 120(6):1074-1078 (1996)

Ishida et al., "Molecular Cloning and Functional Expression of the Human Golgi UDP-N-Acetylglucosamine Transporter", *J. Biochem.*, 126(1):68-77 (1999)

Jarvis et al., "Engineering N-glycosylation pathways in the baculovirus-insect cell system", *Current Opinion in Biotechnology*, 9:528-533 (1998)

Jefferis, "Glycosylation of Human IgG Antibodies", *Biopharm.*, 14:19-26 (2001)

Kainuma, "Coexpression of α 1,2 galactosyltransferase and UDP-galactose transporter efficiently galactosylates N- and O-glycan in *Saccharomyces cerevisiae*", *Glycobiology*, 9(2): 133-141 (1999)

Kalsner et al., "Insertion into *Aspergillus nidulans* of functional UDP-GlcNAc: α 3-D-mannoside β -1,2-N-acetylglucosaminyl-transferase I, the enzyme catalysing the first committed step from oligomannose to hybrid and complex N-glycans" *Glycoconj. J.*, 12(3):360-370 (1995)

Khatra et al., "Some Kinetic Properties of Human-Milk Galactosyl Transferase", *Eur. J. Biochem.*, 44:537-560 (1974)

Krezdorn et al., "Human β 1,4 galactosyltransferase and α 2,6 sialyltransferase expressed in *Saccharomyces cerevisiae* are retained as active enzymes in the endoplasmic reticulum", *Eur. J. Biochem.*, 220(3):809-17 (1994)

Lagerkvist et al., "Single, Antigen-Specific B Cells Used to Generate Fab Fragments Using CD40-Mediated Amplification or Direct PCR Cloning", *Biotechniques*, 18:862-869 (1995)

Lal et al., "Substrate specificities of recombinant murine Golgi α 1,2-mannosidases IA and IB and comparison with endoplasmic reticulum and Golgi processing α 1,2-mannosidases", *Glycobiology*, 8(10):981-95 (1998)

Leung et al., "A Method for Random Mutagenesis of a Defined DNA Segment Using a Modified Polymerase Chain Reaction", *Technique*, 1:11-15 (1989)

Lu et al., "Cloning and disruption of the β -isopropylmalate dehydrogenase gene (LEU2) of *Pichia stipitis* with URA3 and recovery of the double auxotroph", *Appl. Microbiol. Biotechnol.* 49:141-146 (1998)

Madden et al., "Applications of Network BLAST Server", *Meth. Enzymol.*, 266:131-141 (1996)

Malissard et al., "Expression of Functional Soluble Forms of Human β -1,4-Galactosyltransferase I, α -2,6-Sialyltransferase, and α -1,3-Fucosyltransferase VI in the Methylophilic Yeast *Pichia pastoris*", *Biochemical and Biophysical Research Communications*, 267:169-173 (2000)

Maras et al., "In vitro conversion of the carbohydrate moiety of fungal glycoproteins to mammalian-type oligosaccharides", *Eur. J. Biochem.*, 249:701-707 (1997)

Martinet et al., "Modification of the protein glycosylation pathway in the methylophilic yeast *Pichia pastoris*" *Biotechnology Letters*, 20:1171-1177 (1998)

Miele et al., "Glycosylation properties of the *Pichia pastoris*-expressed recombinant kringle 2 domain of tissue-type plasminogen activator", *Biotechnol. Appl. Biochem.*, 25:151-157 (1997)

Moens et al., "Glycoproteins in prokaryotes", *Arch Microbiol.* 168(3):169-175 (1997)

Morin-Ganet et al., "Morphogenesis and Dynamics of the Yeast Golgi Apparatus", *Traffic*, 1(1):56-68 (2000)

Nakanishi-Shindo et al., "Structure of the N-Linked Oligosaccharides That Show the Complete Loss of α -1,6-Polymannose Outer Chain from *och1*, *och1 mnn1*, and *och1 mnn1 alg3* Mutants in *Saccharomyces cerevisiae*" *J. Biol. Chem.*, 268(35):26338-45 (1993)

Nakayama et al., "OCH1 encodes a novel membrane bound mannosyltransferase:outer chain elongation of asparagine-linked oligosaccharides" *EMBO J.*, 11(7):2511-19 (1992)

Nakayama et al., "Substrate specificity of α -1,6-mannosyltransferase that initiates N-linked mannose outer chain elongation in *Saccharomyces cerevisiae*", *FEBS Lett.*, 412(3):547-50 (1997)

Narasimhan et al., "Control of Glycoprotein Synthesis", *J. Biol. Chem.*, 257:10235:42 (1982)

Neiman et al., "*Saccharomyces cerevisiae* HOC1, a Suppressor of *pkc1*, Encodes a Putative Glycosyltransferase", *Genetics*, 145(3):637-45 (1997)

Ogunjimi et al., "High-level secretory expression of immunologically active intact antibody from the yeast *Pichia pastoris*", *Biotechnology Letters*, 21:561-567 (1999)

Orlandi et al., "Cloning immunoglobulin variable domains for expression by the polymerase chain reaction", *Proc. Natl. Acad. Sci. USA*, 86:3833 (1988)

Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis", *A.J.S., Glycobiology*, 8:445-454 (1998)

Pearson, "Rapid and Sensitive Sequence Comparison with FASTP and FASTA", *Methods Enzymol.* 183:63-98 (1990)

Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus", *Methods in Enzymology*, 138:709-715 (1987)

Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter", *J. Biol. Chem.* 274(50):35596-35600 (1999)

Raju et al., "Species-specific variation in glycosylation of IgG: evidence for the species-specific sialylation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics", *Glycobiology*, 10(5):477-486 (2000)

- Raschke et al., "Genetic Control of Yeast Mannan Structure", *J. Biol. Chem.* 248(13):4660-66 (1973)
- Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", *Gene*, 149:385-386 (1994)
- Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", *Gene*, 158:311-312 (1995)
- Reidhaar-Olson et al., "Combinatorial Cassette Mutagenesis as a Probe of the Informational Content of Protein Sequences", *Science*, 241:53-57 (1988)
- Romero et al., "Mutation of Arg273 to Leu Alters the Specificity of the Yeast *N*-Glycan Processing Class I α 1,2-Mannosidase", *J. Biol. Chem.*, 275(15):11071-4 (2000)
- Rothstein et al., "Targeting, Disruption, Replacement, and Allele Rescue: Integrative DNA Transformation in Yeast", *Methods in Enzymology*, 194:281 (1991)
- Sambrook et al., "Hybridization of Radiolabeled Probes to Immobilized Nucleic Acids", *Molecular Cloning: A Laboratory Manual*, 2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989), pp.9.51
- Schwientek et al., "Golgi Localization in Yeast is Mediated by the Membrane Anchor Region in Rat Liver Sialyltransferase", *J. Biol. Chem.*, 270(10):5483-5489 (1995)
- Segawa, "*Schizosaccharomyces pombe* UDP-galactose transporter: identification of its functional form through cDNA cloning and expression in mammalian cells", *FEBS Letters*, 451(3):295-298 (1999)
- Sikorski et al., "A system of Shuttle Vectors and Yeast Host Strains Designed for Efficient Manipulation of DNA in *Saccharomyces cerevisiae*", *Genetics*, 122:19-27 (1989)
- Soderholm et al., "Vector for Pop-In/Pop-Out Gene Replacement in *Pichia pastoris*", *Biotechniques*, 31(2):306-10 (2001)
- Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", *J. Cell Biol.*, 257(18):811-817 (1982)
- Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", *J. Cell Biol.*, 91(2):A406 (1981)
- Stanley et al., "Complementation between Mutants of CHO Cells Resistant to a Variety of Plant Lectins", *Somatic Cell Genet* 3(4):391-405 (1977)

Svetina et al., "Expression of catalytic subunit of bovine enterokinase in the filamentous fungus *Aspergillus niger*", *J. Biotechnol.*, 76(2-3): 245-251 (2000)

Takeuchi, "Trial for Molecular Breeding of Yeast for the Production of Glycoprotein Therapeutics", *Trends in Glycoscience and Glycotechnology*, 9:S29-S35 (1997)

Terness et al., "Idiotypic Vaccine for Treatment of Human B-Cell Lymphoma", *Hum. Immunol.*, 56:17-27 (1997)

Tremblay et al., "Molecular cloning, chromosomal mapping and tissue-specific expression of a novel human α 1,2-mannosidase gene involved in N-glycan maturation", *Glycobiology*, 8(6):585-595, (1998)

Tsuji-Hayashi et al., "A Potential Endogenous Ligand of Annexin IV in the Exocrine Pancreas", *The Journal of Biological Chemistry*, 277(49):47493-47499 (2002)

Umana et al., "Tetracycline-Regulated Overexpression of Glycosyltransferase in Chinese Hamster Ovary Cells", *Biotechnol. Bioeng.*, 65(5):542-9 (1999)

Umana et al., "Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity", *Nat. Biotechnol.*, 17(2):176-80 (1999)

Weikert et al., "Engineering Chinese hamster ovary cells to maximize sialic acid content of recombinant glycoproteins", *Nature Biotechnology*, 17:1116-1121 (1999)

Welschof et al., "Amino acid sequence based PCR primers for amplification of rearranged human heavy and light chain immunoglobulin variable region genes", *J. Immunol. Methods*, 179:203-214 (1995)

Werner et al., "Appropriate Mammalian Expression Systems for Biopharmaceuticals", *Arzneimittelforschung*, 48(8):870-80 (1998)

Yang et al., "Effects of Ammonia on CHO Cell Growth, Erythropoietin Production, and Glycosylation", *Biotech. Bioeng.*, 68:370-80 (2000)

Yip et al., "Cloning and analysis of the *Saccharomyces cerevisiae* MNN9 and MNN1 genes required for complex glycosylation of secreted proteins", *Proc. Natl. Acad. Sci. USA*, 91(7):2723-7 (1994)

Yoshida et al., "Expression and characterization of rat UDP-N-acetylglucosamine: α -3-D-mannoside β -1,2-N-acetylglucosaminyltransferase I in *Saccharomyces cerevisiae*", *Glycobiology*, 9(1):53-8 (1999)


Zhang and Madden, "PowerBLAST: A New Network BLAST Application for Interactive or Automated Sequence Analysis and Annotation", *Genome Res.* 7:649-656 (1997)

Pursuant to the PTO's waiver of the requirement under 37 CFR 1.98 (a)(2)(i), 1276 OG 55, applicant has not submitted copies of each cited U.S. patent and each U.S. patent application publication. Copies of the aforementioned foreign patent publications and other documents, which are listed on the accompanying Form PTO-1449, are enclosed herewith.

It is respectfully requested that these documents be (1) fully considered by the Patent and Trademark Office during the examination of this application; and (2) printed on any patent that may issue on this application. Applicants request that a copy of Form PTO-1449, as considered and initialed by the Examiner, be returned with the next communication.

An early and favorable action is respectfully
requested.

Respectfully submitted,



David A. Roise
Registration No. 47,904
Attorney for Applicant

FISH & NEAVE
Customer No. 1473
1251 Avenue of the Americas
New York, New York 10020-1104
Tel.: (650) 617-4000

I hereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to : HON.
COMMISSIONER FOR PATENTS,
P.O. BOX 1450, Alexandria,
VA 22313-1450 on:

12.3.03

Date of Deposit

Lorraine Coke

Name of Person Signing


Signature of Person Signing

12.3.03

Date of Signature



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
GFI-108SERIAL NO.
10/680,963INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

APPLICANT

Piotr BobrowiczFILING DATE
October 7, 2003GROUP
N/A

U.S. PATENT DOCUMENTS

EXAMINER INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	2003/0175884	09/2003	Umana et al.			
	6,602,684	08/2003	Umana et al.			
	6,017,743	01/2000	Tsuji et al.			
	5,962,294	10/1999	Paulson et al.			
	5,955,422	09/1999	Lin			
	5,955,347	09/1999	Lowe			
	5,910,570	06/1999	Elhammer et al.			
	5,849,904	12/1998	Gerardy-Schahn et al.			
	5,834,251	11/1998	Maras et al.			
	5,766,910	06/1998	Fukuda et al.			
	5,707,828	01/1998	Sreekrishna et al.			
	5,595,900	01/1997	Lowe			
	5,135,854	08/1992	Mackay et al.			
	5,047,335	09/1991	Paulson et al.			
	4,935,349	06/1990	McKnight et al.			
	4,925,796	05/1990	Bergh et al.			
	4,775,622	10/1988	Hitzemann et al.			


FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
	WO 03/011878	02/2003	WIPO				
	WO 02/00879	01/2002	WIPO				
	WO 02/00856 A2	01/2002	WIPO				
	WO 01/14522	03/2001	WIPO				
	WO 99/54342	10/1999	WIPO				
	8-336387	08/1996	Japan				X

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
	APPLICANT Piotr Bobrowicz	
	FILING DATE October 7, 2003	GROUP N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Abdel-Salam et al., "Expression of mouse antiretine kinase (MAK33) monoclonal antibody in the yeast <i>Hansenula polymorpha</i> ", <i>Appl. Microbiol. Biotechnol.</i> , 56:157-164 (2001) ✓
	Abeijon et al., "Molecular Cloning of the Golgi apparatus uridine diphosphate-N-acetylglucosamine transporter from <i>Kluyveromyces lactis</i> " <i>Proc. Natl. Acad. Sci. USA</i> 93:5963-5968 (1996) ✓
	Alani et al., "A Method for Gene Disruption That Allows Repeated Use of URA3 Selection in the Construction of Multiply Disrupted Yeast Strains" <i>Genetics</i> 116:541-545 (1987) ✓
	Altschul et al., "Basic Local Alignment Search Tool", <i>J. Mol. Biol.</i> 215:403-410 (1990) ✓
	Altschul et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", <i>Nucleic Acids Res.</i> 25:3389-3402 (1997) ✓
	Anderson et al., "The effect of cell-culture conditions on the oligosaccharide structures of secreted glycoproteins", <i>Curr Opin Biotechnol.</i> 5(5):546-49 (1994)
	Aoki et al., "Expression and activity of chimeric molecules between human UDP-galactose transporter and CMP-sialic acid transporter", <i>J. Biochem. (Tokyo)</i> , 126(5):940-50 (1999)
	Beaudet et al., "High-level expression of mouse Mdr3 P-glycoprotein in yeast <i>Pichia pastoris</i> and characterization of ATPase activity", <i>Methods Enzymol.</i> , 292:397-413 (1998)
	Berka et al., "The Filamentous Fungus <i>Aspergillus niger</i> var. <i>Awamori</i> as Host for the Expression and Secretion of Fungal and Non-Fungal Heterologous Proteins", <i>Abstr. Papers Amer. Chem. Soc.</i> 203:121-BIOT (1992) ✓
	Berninsone et al., "Functional Expression of the Murine Golgi CMP-Sialic Acid Transporter in <i>Saccharomyces cerevisiae</i> ", <i>J. Biol. Chem.</i> 272(19):12616-9 (1997) ✓
	Berninsone et al., "Regulation of Yeast Golgi Glycosylation", <i>J. Biol. Chem.</i> 270(24):14564-14567 (1995) ✓
	Berninsone et al., "The Golgi guanosine diphosphatase is required for transport of GDP-mannose into the lumen of <i>Saccharomyces cerevisiae</i> Golgi vesicles", <i>J. Biol. Chem.</i> , 269(1):207211 (1994) ✓
	Bianchi et al., "Transformation of the yeast <i>Kluyveromyces lactis</i> by new vectors derived from the 1.6 µm circular plasmid pKD1", <i>Current Genetics</i> , 12:185-192 (1987) ✓
	Boehm et al., "Disruption of the KEX1 Gene in <i>Pichia pastoris</i> Allows Expression of Full-Length Murine and Human Endostatin", <i>Yeast</i> , 15:563-572 (1999) ✓
	Boeke et al., "A positive selection for mutants lacking orotidine-5'-phosphate decarboxylase activity in yeast: 5-fluoro-orotic acid resistance", <i>Mol. Gen. Genet.</i> 197:345-346 (1984) ✓
	Bonneaud et al., "A family of low and high copy replicative, integrative and single-stranded <i>S. cerevisiae</i> /E. coli shuttle vectors", <i>Yeast</i> , 7:609-615 (1991)
	Borreback et al., "Human monoclonal antibodies produced by primary <i>in vitro</i> immunization of peripheral blood lymphocytes", <i>Proc. Natl. Acad. Sci. USA</i> , 85:3995-3999 (1988) ✓

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Piotr Bobrowicz	
		FILING DATE October 7, 2003	GROUP N/A


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Brethauer et al., "Glycosylation of <i>Pichia pastoris</i> -derived proteins", <i>Biotechnology and Applied Biochemistry</i> 30:193-200 (1999) ✓
	Buckel et al., "Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine-kinase-specific monoclonal antibody", <i>Gene</i> , 51:13-19 (1987) ✓
	Cadwell and Joyce, "Randomization of Genes by PCR Mutagenesis", <i>PCR Methods Applic.</i> 2:28-33 (1992) ✓
	Callewaert et al., "Use of HDEL-tagged <i>Trichoderma reesei</i> mannosyl oligosaccharide 1,2- α -D-mannosidase for N-glycan engineering in <i>Pichia pastoris</i> ", <i>FEBS Lett.</i> 503(2-3):173-8 (2001) ✓
	Cereghino et al., "Heterologous protein expression in the methylotrophic yeast <i>Pichia pastoris</i> ", <i>FEMS Microbiology Reviews</i> , 24(1):45-66 (2000) ✓
	Cereghino et al., "New selectable marker/auxotrophic host strain combinations for molecular genetic manipulation of <i>Pichia pastoris</i> ", <i>Gene</i> , 263:159-169 (2001) ✓
	Chiba et al., "Production of Human Compatible High Mannose-type Sugar Chains in <i>Saccharomyces cerevisiae</i> ", <i>J. Biol. Chem.</i> , 273(41):26298-26304 (1998) ✓
	Choi et al., "Use of combinatiroal genetic libraries to humanize N-linked glycosylation in the yeast <i>Pichia pastoris</i> ", <i>Proc. Natl. Acad. Sci. USA</i> 100:5022-5027 (2003) ✓
	Davidson et al., "A PCR-based strategy to generate integrative targeting alleles with large regions of homology", <i>Microbiol.</i> , 148(Pt8):2607-15 (2002) ✓
	Davies et al., "Expression of GnTIII in a Recombinant Anti-CD20 CHO Production Cell Line: Expression of Antibodies with Altered Glycoforms Leads to an Increase in ADCC Through Higher Affinity for Fc γ RIII", <i>Biotechnol. Bioeng.</i> , 74(4):288-294 (2001) ✓
	Dennis et al., "Protein glycosylation in development and disease", <i>Bioessays</i> , 21(5):412-21 (1999) ✓
	Eades et al., "Characterization of the Class I α -mannosidase gene family in the filamentous fungus <i>Aspergillus nidulans</i> ", <i>Gene</i> , 255(1):25-34 (2000) ✓
	Eckhardt et al., "Molecular cloning of the hamster CMP-sialic acid transporter", <i>Eur. J. Biochem.</i> , 248(1):187-192 (1997) ✓
	Gavel, et al., "Sequence differences between glycosylated and non-glycosylated Asn-X-Thr/Ser acceptor sites: implications for protein engineering", <i>Protein Eng.</i> , 3:433-42 (1990) ✓
	Gleeson, Paul A. "Targeting of proteins to the Golgi apparatus", <i>Histochem. Cell Biol.</i> , 109:517-532 (1998) ✓
	Goochee et al., "The Oligosaccharides of Glycoproteins: Bioprocess Factors Affecting Oligosaccharide Structure and Their Effect on Glycoprotein Properties", <i>Biotechnology</i> , 9(12):1347-55 (1999) ✓
	Graham et al., "Compartmental Organization of Golgi-specific Protein Modification and Vacuolar Protein Sorting Events Defined in Yeast <i>sec18 (NSF)</i> Mutant", <i>J. Cell. Biol.</i> , 114(2):207-218 (1991) ✓

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM P-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Piotr Bobrowicz	
		FILING DATE October 7, 2003	GROUP N/A


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Grasziano et al., "Construction and Characterization of a Humanized Anti- γ -Ig Receptor Type I (Fc γ RI) Monoclonal Antibody", <i>J. Immunol.</i> , 155(10):4996-5002 (1995)
	Guillen et al., "Mammalian Golgi apparatus UDP-N-acetylglucosamine transporter: Molecular cloning by phenotypic correction of a yeast mutant", <i>Proc. Natl. Acad. Sci. USA</i> , 95(14):7888-7892 (1998)
	Hamilton et al., "Production of Complex Human Glycoproteins in Yeast", <i>Science</i> , 301:1244-46 (2003)
	Harkki et al., "A Novel Fungal Expression System: Secretion of Active Calf Chymosin From the Filamentous Fungus <i>Trichoderma reesei</i> ", <i>Biotechnical Laboratory</i> , 7(6):596 (1989)
	Hayes et al., "Carbohydrate Compositions of the Rabbit Plasminogen Isozymes", <i>J. Arch. Biochem. Biophys.</i> , 171:651-655 (1975)
	Hernandez et al., "Structure of the Phosphorylated N-Linked Oligosaccharides from the <i>mn9</i> and <i>mn10</i> Mutants of <i>Saccharomyces cerevisiae</i> ", <i>The Journal of Biological Chemistry</i> , 264(23):13648-13659 (1989)
	Huffaker et al., "Yeast mutants deficient in protein glycosylation", <i>Proc. Natl. Acad. Sci. USA</i> , 80(24):7466-70 (1983)
	Ishida et al., "Molecular Cloning and Characterization of a Novel Isoform of the Human UDP-Galactose Transporter, and of Related Complementary DNAs Belonging to the Nucleotide-Sugar Transporter Gene Family", <i>J. Biochem.</i> , (Tokyo) 120(6):1074-1078 (1996)
	Ishida et al., "Molecular Cloning and Functional Expression of the Human Golgi UDP-N-Acetylglucosamine Transporter", <i>J. Biochem.</i> , 126(1):68-77 (1999)
	Jarvis et al., "Engineering N-glycosylation pathways in the baculovirus-insect cell system", <i>Current Opinion in Biotechnology</i> , 9:528-533 (1998)
	Jefferis, "Glycosylation of Human IgG Antibodies", <i>Biopharm.</i> , 14:19-26 (2001)
	Kainuma, "Coexpression of α 1,2 galactosyltransferase and UDP-galactose transporter efficiently galatossylates N- and O-glycan in <i>Saccharomyces cerevisiae</i> ", <i>Glycobiology</i> , 9(2): 133-141 (1999)
	Kalsner et al., "Insertion into <i>Aspergillus nidulans</i> of functional UDP-GlcNAc: α 3-D-mannoside β -1,2-N-acetylglucosaminyl-transferase I, the enzyme catalysing the first committed step from oligomannose to hybrid and complex N-glycans" <i>Glycoconj. J.</i> , 12(3):360-370 (1995)
	Khatra et al., "Some Kinetic Properties of Human-Milk Galactosyl Transferase", <i>Eur. J. Biochem.</i> , 44:537-560 (1974)
	Krezdorn et al., "Human β 1,4 galactosyltransferase and α 2,6 sialyltransferase expressed in <i>Saccharomyces cerevisiae</i> are retained as active enzymes in the endoplasmic reticulum", <i>Eur. J. Biochem.</i> , 220(3):809-17 (1994)
	Lagerkvist et al., "Single, Antigen-Specific B Cells Used to Generate Fab Fragments Using CD40-Mediated Amplification or Direct PCR Cloning", <i>Biotechniques</i> , 18:862-869 (1995)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Piotr Bobrowicz	
		FILING DATE October 7, 2003	GROUP N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Lal et al., "Substrate specificities of recombinant murine Golgi α 1,2-mannosidases IA and IB and comparison with endoplasmic reticulum and Golgi processing α 1,2-mannosidases", <i>Glycobiology</i> , 8(10):981-95 (1998) ✓
	Leung et al., "A Method for Random Mutagenesis of a Defined DNA Segment Using a Modified Polymerase Chain Reaction", <i>Technique</i> , 1:11-15 (1989) ✓
	Lu et al., "Cloning and disruption of the β -isopropylmalate dehydrogenase gene (LEU2) of <i>Pichia stipitis</i> with URA3 and recovery of the double auxotroph", <i>Appl. Microbiol. Biotechnol.</i> 49:141-146 (1998) ✓
	Madden et al., "Applications of Network BLAST Server", <i>Meth. Enzymol.</i> , 266:131-141 (1996)
	Malissard et al., "Expression of Functional Soluble Forms of Human β -1,4-Galactosyltransferase I, α -2,6-Sialyltransferase, and α -1,3-Fucosyltransferase VI in the Methylotrophic Yeast <i>Pichia pastoris</i> ", <i>Biochemical and Biophysical Research Communications</i> , 267:169-173 (2000) ✓
	Maras et al., "In vitro conversion of the carbohydrate moiety of fungal glycoproteins to mammalian-type oligosaccharides", <i>Eur. J. Biochem.</i> , 249:701-707 (1997) ✓
	Martinet et al., "Modification of the protein glycosylation pathway in the methylotrophic yeast <i>Pichia pastoris</i> " <i>Biotechnology Letters</i> , 20:1171-1177 (1998) ✓
	Miele et al., "Glycosylation properties of the <i>Pichia pastoris</i> -expressed recombinant kringle 2 domain of tissue-type plasminogen activator", <i>Biotechnol. Appl. Biochem.</i> , 25:151-157 (1997) ✓
	Moens et al., "Glycoproteins in prokaryotes", <i>Arch Microbiol.</i> 168(3):169-175 (1997) ✓
	Morin-Ganet et al., "Morphogenesis and Dynamics of the Yeast Golgi Apparatus", <i>Traffic</i> , 1(1):56-68 (2000) ✓
	Nakanishi-Shindo et al., "Structure of the N-Linked Oligosaccharides That Show the Complete Loss of α -1,6-Polymannose Outer Chain from <i>och1</i> , <i>och1 mnn1</i> , and <i>och1 mnn1 alg3</i> Mutants in <i>Saccharomyces cerevisiae</i> " <i>J. Biol. Chem.</i> , 268(35):26338-45 (1993) ✓
	Nakayama et al., " <i>OCH1</i> encodes a novel membrane bound mannosyltransferase: outer chain elongation of asparagine-linked oligosaccharides" <i>EMBO J.</i> , 11(7):2511-19 (1992) ✓
	Nakayama et al., "Substrate specificity of α -1,6-mannosyltransferase that initiates N-linked mannose outer chain elongation in <i>Saccharomyces cerevisiae</i> ", <i>FEBS Lett.</i> , 412(3):547-50 (1997) ✓
	Narasimhan et al., "Control of Glycoprotein Synthesis", <i>J. Biol. Chem.</i> , 257:10235:42 (1982) ✓
	Neiman et al., " <i>Saccharomyces cerevisiae</i> HOC1, a Suppressor of <i>pkc1</i> , Encodes a Putative Glycosyltransferase", <i>Genetics</i> , 145(3):637-45 (1997) ✓
	Ogunjimi et al., "High-level secretory expression of immunologically active intact antibody from the yeast <i>Pichia pastoris</i> ", <i>Biotechnology Letters</i> , 21:561-567 (1999) ✓
	Orlandi et al., "Cloning immunoglobulin variable domains for expression by the polymerase chain reaction", <i>Proc. Natl. Acad. Sci. USA</i> , 86:3833 (1988) ✓

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM P-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
	APPLICANT Piotr Bobrowicz	
	FILING DATE October 7, 2003	GROUP N/A


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Papac et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric analysis", <i>A.J.S., Glycobiology</i> , 8:445-454 (1998) ✓
	Pearson, "Rapid and Sensitive Sequence Comparison with FASTP and FASTA", <i>Methods Enzymol.</i> 183:63-98 (1990) ✓
	Perez et al., "Transport of Sugar Nucleotides into the Lumen of Vesicles Derived from Rat Liver Rough Endoplasmic Reticulum and Golgi Apparatus", <i>Methods in Enzymology</i> , 138:709-715 (1987) ✓
	Puglielli et al., "Reconstitution, Identification, and Purification of the Rat Liver Golgi Membrane GDP-fucose Transporter", <i>J. Biol. Chem.</i> 274(50):35596-35600 (1999) ✓
	Raju et al., "Species-specific variation in glycosylation of IgG: evidence for the species-specific sialylation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics", <i>Glycobiology</i> , 10(5):477-486 (2000) ✓
	Raschke et al., "Genetic Control of Yeast Mannan Structure", <i>J. Biol. Chem.</i> 248(13):4660-66 (1973) ✓
	Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", <i>Gene</i> , 149:385-386 (1994) ✓
	Recinos et al., "Sequences of cDNAs encoding immunoglobulin heavy- and light-chain variable regions from two anti-dioxin monoclonal antibodies", <i>Gene</i> , 158:311-312 (1995) ✓
	Reidhaar-Olson et al., "Combinatorial Cassette Mutagenesis as a Probe of the Informational Content of Protein Sequences", <i>Science</i> , 241:53-57 (1988) ✓
	Romero et al., "Mutation of Arg273 to Leu Alters the Specificity of the Yeast <i>N</i> -Glycan Processing Class I α 1,2-Mannosidase", <i>J. Biol. Chem.</i> , 275(15):11071-4 (2000) ✓
	Rothstein et al., "Targeting, Disruption, Replacement, and Allele Rescue: Integrative DNA Transformation in Yeast", <i>Methods in Enzymology</i> , 194:281 (1991) ✓
	Sambrook et al., "Hybridization of Radiolabeled Probes to Immobilized Nucleic Acids", <i>Molecular Cloning: A Laboratory Manual</i> , 2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989), pp.9.51 ✓
	Schwientek et al., "Golgi Localization in Yeast is Mediated by the Membrane Anchor Region in Rat Liver Sialyltransferase", <i>J. Biol. Chem.</i> , 270(10):5483-5489 (1995) ✓
	Segawa, " <i>Schizosaccharomyces pombe</i> UDP-galactose transporter: identification of its functional form through cDNA cloning and expression in mammalian cells", <i>FEBS Letters</i> , 451(3):295-298 (1999) ✓
	Sikorski et al., "A system of Shuttle Vectors and Yeast Host Strains Designed for Efficient Manipulation of DNA in <i>Saccharomyces cerevisiae</i> ", <i>Genetics</i> , 122:19-27 (1989) ✓
	Soderholm et al., "Vector for Pop-In/Pop-Out Gene Replacement in <i>Pichia pastoris</i> ", <i>Biotechniques</i> , 31(2):306-10 (2001) ✓
	Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", <i>J. Cell Biol.</i> , 257(18):811-817 (1982) ✓

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GFI-108	SERIAL NO. 10/680,963
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Piotr Bobrowicz	
		FILING DATE October 7, 2003	GROUP N/A

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER INITIALS	
	Sommers et al., "Transport of Sugar Nucleotides into Rat Liver Golgi", <i>J. Cell Biol.</i> , 91(2):A406 (1981) ✓
	Stanley et al., "Complementation between Mutants of CHO Cells Resistant to a Variety of Plant Lectins", <i>Somatic Cell Genet</i> 3(4):391-405 (1977) ✓
	Svetina et al., "Expression of catalytic subunit of bovine enterokinase in the filamentous fungus <i>Aspergillus niger</i> ", <i>J. Biotechnol.</i> , 76(2-3): 245-251 (2000) ✓
	Takeuchi, "Trial for Molecular Breeding of Yeast for the Production of Glycoprotein Therapeutics", <i>Trends in Glycoscience and Glycotechnology</i> , 9:S29-S35 (1997) ✓
	Terness et al., "Idiotypic Vaccine for Treatment of Human B-Cell Lymphoma", <i>Hum. Immunol.</i> , 56:17-27 (1997) ✓
	Tremblay et al., "Molecular cloning, chromosomal mapping and tissue-specific expression of a novel human α 1,2-mannosidase gene involved in <i>N</i> -glycan maturation", <i>Glycobiology</i> , 8(6):585-595, (1998) ✓
	Tsuji-Hayashi et al., "A Potential Endogenous Ligand of Annexin IV in the Exocrine Pancreas", <i>The Journal of Biological Chemistry</i> , 277(49):47493-47499 (2002) ✓
	Umana et al., "Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity", <i>Nat. Biotechnol.</i> , 17(2):176-80 (1999) ✓
	Umana et al., "Tetracycline-Regulated Overexpression of Glycosyltransferase in Chinese Hamster Ovary Cells", <i>Biotechnol. Bioeng.</i> , 65(5):542-9 (1999) ✓
	Weikert et al., "Engineering Chinese hamster ovary cells to maximize sialic acid content of recombinant glycoproteins", <i>Nature Biotechnology</i> , 17:1116-1121 (1999) ✓
	Welschof et al., "Amino acid sequence based PCR primers for amplification of rearranged human heavy and light chain immunoglobulin variable region genes", <i>J. Immunol. Methods</i> , 179:203-214 (1995) ✓
	Werner et al., "Appropriate Mammalian Expression Systems for Biopharmaceuticals", <i>Arzneimittelforschung</i> , 48(8):870-80 (1998) ✓
	Yang et al., "Effects of Ammonia on CHO Cell Growth, Erythropoietin Production, and Glycosylation", <i>Biotech. Bioeng.</i> , 68:370-80 (2000) ✓
	Yip et al., "Cloning and analysis of the <i>Saccharomyces cerevisiae</i> MNN9 and MNN1 genes required for complex glycosylation of secreted proteins", <i>Proc. Natl. Acad. Sci. USA</i> , 91(7):2723-7 (1994) ✓
	Yoshida et al., "Expression and characterization of rat UDP- <i>N</i> -acetylglucosamine: α -3-D-mannoside β -1,2- <i>N</i> -acetylglucosaminyltransferase I in <i>Saccharomyces cerevisiae</i> ", <i>Glycobiology</i> , 9(1):53-8 (1999) ✓
	Zhang and Madden, "PowerBLAST: A New Network BLAST Application for Interactive or Automated Sequence Analysis and Annotation", <i>Genome Res.</i> 7:649-656 (1997) ✓

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.